



Europäisches Patentamt
European Patent Office
Office européen des brevets

(11) Publication number:

0 335 645
A2

(12)

EUROPEAN PATENT APPLICATION

(21) Application number: 89303023.9

(51) Int. Cl.⁴: **A 61 K 6/00**
C 09 J 3/14

(22) Date of filing: 28.03.89

(30) Priority: 28.03.88 JP 72050/88
06.05.88 JP 109156/88

(43) Date of publication of application:
04.10.89 Bulletin 89/40

(84) Designated Contracting States: DE FR GB

(71) Applicant: TOKUYAMA SODA KABUSHIKI KAISHA
1-1 Mikage-cho
Tokuyama-shi Yamaguchi-ken (JP)

(72) Inventor: Kawaguchi, Toshio
2-22-2234 Seibu-danchi, 3910, Ohba
Fujisawa-shi Kanagawa-ken (JP)

Shibuya, Shigeri
3170-3, Kobuchi
Sagamihara-shi Kanagawa-ken (JP)

Kusumoto, Koshi
8-6 Kajihara 2-chome
Kamakura-shi Kanagawa-ken (JP)

(74) Representative: Cresswell, Thomas Anthony et al
J.A. Kemp & Co. 14 South Square Gray's Inn
London WC1R 5EU (GB)

(54) Adhesive composition.

(57) Disclosed is an adhesive composition comprising (a) 100 parts by weight of a monomer mixture comprising a vinyl monomer having an acidic group in the molecule and a vinyl monomer copolymerizable with said vinyl monomer, (b) 10 to 500 parts by weight of a filler, (c) 0.01 to 10 parts by weight of a polymerization initiator and (d) 0.01 to 10 parts by weight of ascorbic acid or a derivative thereof. This adhesive composition has a high bonding force and an excellent durability even in a severe environment, for example, in the environment in the oral cavity. Accordingly, this adhesive composition is especially valuable used as a dental adhesive.

EP 0 335 645 A2

ADHESIVE COMPOSITION

5

10

(2) Description of the Related Art

15

20

25

30

35

40

45

50

Other objects of the present invention will become apparent from the detailed description given hereinafter.

The present invention is to provide a novel adhesive composition which has high adhesion strength and

55

60


Detailed Description of the Preferred Embodiments

One constituent component of the adhesive composition of the present invention is a monomer mixture comprising a vinyl monomer having an acidic group in the molecule (hereinafter referred to as "acidic group-containing monomer") and a vinyl monomer copolymerizable with said acidic group-containing monomer.


The acidic group-containing vinyl monomer is a component indispensable for maintaining the adhesive strength of the adhesive composition of the present invention at a very high level. However, if the acidic group-containing monomer alone is used as the monomer component, the viscosity of the adhesive composition is too high and the operation adaptability is poor, and the practical handling becomes difficult. Accordingly, in the present invention, the operation adaptability is improved by using a vinyl monomer copolymerizable with the acidic group-containing vinyl monomer. Therefore, the composition of the monomer mixture is mainly influenced by the properties of the acidic group-containing vinyl monomer. It is sufficient if the content of the acidic group-containing vinyl monomer in the monomer mixture is 1 to 90% by weight, preferably 1 to 50% by weight.

A vinyl monomer having an acidic functional group in the molecule can be used as the acidic group-containing monomer without any limitation in the present invention. For example, vinyl monomers having a functional group such as a carboxylic acid, phosphoric acid or sulfonic acid group and a polymerizable unsaturated group are preferably used. As specific examples of the acidic group-containing vinyl monomer, there can be mentioned carboxylic acid group-containing vinyl monomers such as methacrylic acid, acrylic acid, 2-acryloylpropionic acid, p-methacryloxybenzoic acid, 4-methacryloxyethyltrimellitic acid, its anhydride, 4-vinylbenzoic acid, 7-methacryloxy-1,1-heptane-dicarboxylic acid, 11-methacryloxy-1,1-undecanedicarboxylic acid and 13-methacryloxy-1,1-tridecanedicarboxylic acid, phosphoric acid group-containing vinyl monomers such as vinylphosphoric acid, 2-methacryloxyethyl phosphate, 2-methacryloxyethyl phosphate, 2-methacryloxyethylphenyl hydrogenphosphate, 10-methacryloxydecyl phosphate and a reaction product between bisphenol A diglycidyl methacrylate and phosphorous oxychloride, and sulfonic acid group-containing monomers such as vinylsulfonic acid, 2-sulfoethyl methacrylic acid, vinylbenzylsulfonic acid and methacryloxydecyl 5-sulfo-salicylate.


In order to obtain an adhesive composition having an especially high adhesiveness, it is preferred that an acidic group-containing acrylate or methacrylate type vinyl monomer having an alkyl or aryl group having 4 to 12 carbon atoms be used as the acidic group-containing vinyl monomer. A vinyl monomer having a structure in which a carboxylic acid group or its anhydride group is directly bonded to the alkyl or aryl group is especially preferred. These acidic group-containing vinyl monomers can be represented by the following general formula (I) or (II)



or



wherein R_1 stands for a hydrogen atom or a methyl group, n is a number of from 4 to 12, R_2 stands for a hydrogen atom or a methyl group, m is a number of from 2 to 4, and X is



As the acidic group-containing vinyl monomer represented by the general formula (I), there can be mentioned 7-ethacryloxy-1,1-heptane-dicarboxylic acid, 11-methacryloxy-1,1-undecane-dicarboxylic acid and 13-methacryloxy-1,1-tridecane-dicarboxylic acid. As the acidic group-containing vinyl monomer represented

by the general formula (II), there can be mentioned 4-methacryloxyethyltrimellitic acid and its anhydride.

By using the vinyl monomer represented by the general formula (I) or (II), not only the adhesiveness but also the water resistance can be improved in the obtained adhesive composition.

An acidic group-free vinyl monomer copolymerizable with the acidic group-containing vinyl monomer can be used as the vinyl monomer to be mixed with the acidic group-containing monomer without any limitation. Acrylic acid esters and methacrylic acid esters are preferably used.

As specific examples of the copolymerizable vinyl monomer preferably used in the present invention, there can be mentioned monofunctional vinyl monomers such as methyl acrylate, methyl methacrylate, ethyl acrylate, ethyl methacrylate, n-propyl acrylate, n-propyl methacrylate, isopropyl acrylate, isopropyl methacrylate, n-butyl acrylate, n-butyl methacrylate, isobutyl acrylate, isobutyl methacrylate, n-hexyl acrylate, n-hexyl methacrylate, 2-ethylhexyl acrylate, 2-ethylhexyl methacrylate, tridecyl acrylate, tridecyl methacrylate, stearyl acrylate, stearyl methacrylate, 2-hydroxyethyl acrylate, 2-hydroxyethyl methacrylate, 2-hydroxypropyl acrylate, 2-hydroxypropyl methacrylate, glycidyl acrylate, glycidyl methacrylate, methoxydiethylene glycol acrylate and methoxydiethylene glycol methacrylate, and polyfunctional vinyl monomers such as ethylene glycol diacrylate, ethylene glycol dimethacrylate, diethylene glycol diacrylate, diethylene glycol dimethacrylate, triethylene glycol diacrylate, triethylene glycol dimethacrylate, tetraethylene glycol diacrylate, tetraethylene glycol dimethacrylate, propylene glycol diacrylate, propylene glycol dimethacrylate, 1,4-butanediol diacrylate, 1,4-butanediol dimethacrylate, 1,6-hexanediol diacrylate, 1,6-hexanediol dimethacrylate, neopentyl glycol diacrylate, neopentyl glycol dimethacrylate, 1,10-decanediol diacrylate, 1,10-decanediol dimethacrylate, bisphenol A diacrylate, bisphenol A dimethacrylate, 2,2'-bis-[acryloyloxypropoxyphenyl]propane, 2,2'-bis-[methacryloyloxypropoxyphenyl]propane, bisphenol A diglycidyl methacrylate, trimethylolpropane acrylate, trimethylolpropane methacrylate, trimethylolethane triacrylate, trimethylolethane trimethacrylate, tetramethylolethane tetra-acrylate and tetramethylolethane tetramethacrylate.

The second component (b) used in the present invention is a filler. The adhesion strength of the adhesive composition of the present invention is greatly influenced by the combination of the above-mentioned acidic group-containing vinyl monomer and ascorbic acid described hereinafter. However, the filler is practically important for further improving the adhesion strength. The functional mechanism of enhancing the adhesion strength by incorporation of the filler has not been elucidated, but if the filler is incorporated, the adhesion strength is at least two times as high as the adhesion strength attained when the filler is not incorporated.

The kind of the filler used in the present invention is not particularly critical. Known fillers can be used. In general, organic fillers and inorganic fillers customarily used for dental resin materials can be used singly or in combination. As the organic filler, there are preferably used homopolymers and copolymers of acrylic acid esters and methacrylic acid esters, polyvinyl chloride, polystyrene, polyesters and nylons. As the inorganic filler, there are preferably used quartz, amorphous silica, silica-zirconia, silica-titania, clay, aluminum oxide, talc, mica, kaolin, glass, barium sulfate, zirconium oxide, titanium oxide, silicon nitride, aluminum nitride, titanium nitride, silicon carbide, boron carbide, calcium carbonate, hydroxyapatite and calcium phosphate. It is generally preferred that an inorganic filler be used after it has been treated with a silane coupling agent such as γ -methacryloyloxypropyltrimethoxysilane and vinyltriethoxysilane.

In the present invention, the amount used of the filler is changed according to the kind of the filler per se and the kinds and amounts of other constituents, and the amount of the filler cannot be simply defined. However, it is generally preferred that the filler be used in an amount of 10 to 500 parts by weight per 100 parts by weight of the monomer mixture. The particle size of the filler is preferably 0.01 to 500 μm , especially preferably 0.01 to 200 μm . In the present invention, a polymer of an acrylic acid ester or methacrylic acid ester is preferably used as the filler.

The third component (c) used in the present invention is a polymerization initiator. In general, known polymerization initiators can be used singly or in combination without any limitation. In general, organic peroxides, tertiary amines and α -diketones are preferably used as the polymerization initiator. In order to improve the adhesiveness to a metal, it is especially preferred that an organic peroxide and a tertiary amine be used in combination. In order to improve the adhesiveness to resin, it is especially preferred that α -diketone and an organic peroxide be used in combination.

As preferred examples of the organic peroxide as the polymerization initiator, there can be mentioned diacyl peroxides such as dibenzoyl peroxide, 2,4-dichlorobenzoyl peroxide, dilauroyl peroxide, dioctanoyl peroxide and decanoyl peroxide, hydroperoxides such as cumene hydroperoxide and t-butyl hydroperoxide, and ketone peroxides such as cyclohexanone peroxide and methyl ethyl ketone peroxide. These organic peroxides can be used singly or in the form of a mixture of two or more of them.

As preferred examples of the tertiary amine as the polymerization initiator, there can be mentioned toluidine derivatives such as N,N-dimethyl-p-toluidine and N,N-dihydroxy-ethyl-p-toluidine, aminobenzoic acid derivatives such as 4-(N,N-diethylamino)benzoic acid, ethyl 4-(N,N-dimethylamino)-benzoate and isoamyl 4-(N,N-dimethylamino)benzoate, aminobenzaldehyde derivatives such as 4-(N,N-dimethylamino)benzaldehyde, 4-(N,N-diethylamino)benzaldehyde and 4-(methylhexylamino)benzaldehyde, anisidine derivatives such as N,N-dimethyl-m-anisidine, N,N-dimethyl-p-anisidine and N,N-diethyl-p-anisidine, aminophenol derivatives such as N,N-dimethyl-m-aminophenol and N,N-diethyl-m-aminophenol, and aniline derivatives such as p-propoxy-N,N-dimethylaniline, p-butoxy-N,N-dimethylaniline and p-hexyloxy-N,N-dimethylaniline.

As preferred examples of α -diketone as the polymerization initiator, there can be mentioned diacetyl, 2,3-pentadione, 2,3-hexadione, benzil, 4,4'-dimethoxybenzil, 4,4'-diethoxybenzil, α -naphthyl β -naphthyl and

camphorquinone.

Acyl peroxides such as dibenzoyl peroxide are especially preferred as the organic peroxide. When the tertiary amine is used in combination with an organic peroxide, toluidine derivatives such as N,N-dimethyl-p-toluidine and aminobenzoic acid derivatives such as ethyl 4-(N,N-dimethylamino)benzoate are especially preferred. When the tertiary amine is not used in combination with the organic peroxide but is used singly, an aminobenzoic acid derivative is especially preferred in view of the adhesiveness and storage stability.

In the present invention, the organic peroxide, the tertiary amine or the α -diketone is used in an amount of 0.01 to 10 parts by weight, preferably 0.05 to 5 parts by weight, per 100 parts by weight of the vinyl monomer mixture. When the organic peroxide alone is used, the amount of the organic peroxide is preferably 0.01 to 5 parts by weight, especially preferably 0.05 to 5 parts by weight, and when the tertiary amine alone is used, the amount of the tertiary amine is preferably 0.01 to 5 parts by weight, especially preferably 0.05 to 5 parts by weight. When the α -diketone alone is used, the amount of the α -diketone is preferably 0.01 to 5 parts by weight, especially preferably 0.05 to 5 parts by weight. If both of the organic peroxide and the tertiary amine are used in combination, it is preferred that the total amount be 0.01 to 5 parts by weight, especially 0.05 to 5 parts by weight, per 100 parts by weight of the vinyl monomer mixture and the organic peroxide/tertiary amine weight ratio be in the range of from 0.05 to 20. If both of the α -diketone and the organic peroxide are used in combination, it is preferred that the total amount be 0.01 to 5 parts by weight, especially 0.05 to 5 parts by weight, per 100 parts by weight of the vinyl monomer mixture and the α -diketone/organic peroxide ratio be in the range of from 0.05 to 20.

The fourth component (d) used in the present invention is ascorbic acid or a derivative thereof. As pointed out hereinbefore, an adhesive composition in which ascorbic acid or a derivative thereof is used in combination with monomers and polymerization initiator different from those used in the present invention is known. However, in the conventional adhesive composition, ascorbic acid or its derivative is used as the co-catalyst. An adhesive composition in which ascorbic acid or its derivative is used for improving the adhesive strength has not been known. In fact, in the conventional adhesive composition comprising ascorbic acid or its derivative, the adhesion strength to the dentine is 20 to 50 kg/cm² at highest. In contrast, in the adhesive composition of the present invention, the adhesion strength to the dentine is ordinarily 90 to 100 kg/cm² and in an extreme case, the adhesion strength to the dentine is close to 200 kg/cm². This unexpected effect is mainly attained by combining ascorbic acid or a derivative thereof with the above-mentioned specific monomer and filler. Use of ascorbic acid or a derivative thereof for improving the adhesion strength is first proposed by the present invention. In other words, the finding that a high improvement of the adhesion strength is attained by combining ascorbic acid or a derivative thereof with the acidic group-containing monomer and filler is quite surprising. As is apparent from the foregoing description, ascorbic acid or its derivative is a very important constituent component in the adhesive composition of the present invention.

The kind of ascorbic acid or its derivative is not particularly critical in the present invention, and known compounds can be used. As preferred examples of the ascorbic acid there can be mentioned L-ascorbic acid, D-iso-ascorbic acid and dehydroascorbic acid, and as preferred examples of the ascorbic acid derivative, there can be mentioned metal salts of ascorbic acid, such as sodium L-ascorbate, calcium L-ascorbate and sodium D-iso-ascorbate, and ascorbic acid esters such as stearyl L-ascorbate, palmityl L-ascorbate and 2,6-dipalmityl L-ascorbate. In order to obtain an adhesive composition having an especially high adhesion strength, L-ascorbic acid or an alkali metal salt or ascorbic acid, for example, sodium L-ascorbate or sodium D-iso-ascorbate, is especially preferably used.

In the present invention, the amount used of ascorbic acid and/or its derivative is not particularly critical, and it is sufficient if the component (d) is used in an amount of 0.01 to 10 parts by weight, preferably 0.05 to 5 parts by weight, per 100 parts by weight of the monomer mixture.

In the adhesive composition of the present invention, it is preferred that a small amount of a polymerization inhibitor such as hydroquinone, hydroquinone monomethyl ether or butylhydroxytoluene be incorporated according to need in addition to the above-mentioned components (a) through (d).

In the present invention, incorporation of an inorganic filler often produces preferred results according to the kind of an adherend. For example, if an inorganic filler is added, the mechanical strength and water resistance are improved, and the flowability and costing property can be adjusted.

In the present invention, an organic solvent can be added according to need. Easily volatilizable organic solvents such as acetone, methylene chloride, chloroform and ethanol are preferred. The amount added of the organic solvent is appropriately selected according to the intended use. For example, the organic solvent is used in an amount of 1 to 200 parts by weight per 100 parts by weight of the monomer mixture.

In the case where the adhesive composition of the present invention is applied to the dentine, it is preferred that the surface of the dentine be subjected to an ordinary pretreatment such as acid etching. As the acid etchant, there can be ordinary used an aqueous solution of phosphoric acid or a calcium, iron, copper, nickel, zinc or manganese salt of hydrochloric acid, sulfuric acid or an organic acid, or an aqueous solution of a mixture of a salt as mentioned above and an inorganic acid such as phosphoric acid or an organic acid such as citric acid, malic acid or tartaric acid. For the adhesive composition of the present invention, the latter aqueous solution of the mixture is preferable. An aqueous solution of ferric chloride/citric acid, an aqueous solution of ferric chloride/phosphoric acid, an aqueous solution of ferric citrate and an aqueous solution of zinc chloride/citric acid are especially preferred.

In general, the adhesive composition of the present invention is handled and stored in a two-pack system.

Namely, liquid components and powder components are independently filled in two different packs, and at the curing and bonding step, necessary amounts of the liquid and powder components are taken out from the packs and they are kneaded together. For example, there is generally adopted a method in which the monomer components and the organic peroxide (or one of the tertiary amine and the α -diketone) are filled as the liquid component in one pack and the filler, ascorbic acid (or its derivative) and the organic peroxide (or one of the tertiary amine and α -diketone) are filled as the powder component in another pack. Of course, the liquid component and/or the powder component can be further divided into different packs. Moreover, the liquid and powder components can be packed into small packs for one application.

As is apparent from the foregoing description, in the adhesive composition of the present invention, the adhesion strength and durability are highly improved. The adhesive composition shows an especially excellent effect when applied to a hard tissue of the human body, such as a bone or tooth, particularly the dentine, bonding of which is difficult according to the conventional technique.

Furthermore, the adhesive composition is effective for bonding of metals, ceramics and organic polymers.

The present invention will now be described in detail with reference to the following examples that by no means limit the scope of the invention.

Incidentally, in the following examples and comparative examples, the adhesion strength to the dentine and the adhesion strength to a metal were determined according to the following procedures.

(a) Adhesion Strength to Dentine

A foretooth was extracted in a bovine within 24 hours from the point of slaughter, and under pouring of water, the bottom surface of the tooth was polished by emery paper #800 so that the dentine was horizontally exposed. A double-coated tape having a hole having a diameter of 4 mm was applied to the surface of the exposed dentine.

The liquid component of the adhesive composition was coated on the hole by a small brush, and equal amounts of the newly collected liquid component and the powder component were mixed together and the surface of the dentine was bonded to the section of an acrylic resin rod having a diameter of 8 mm through the mixture. The mixture was exposed to a visible light source for 30 seconds, when it contained the α -diketone as a polymerization initiator. After passage of 1 hour, the bovine tooth having the acrylic resin rod bonded thereto was immersed in water at 37°C for 24 hours. The bovine tooth was taken out from water, and the adhesion strength between the dentine and the adhesive composition was measured by a tensile tester (cross-head speed: 10 mm/min).

(b) Adhesion Strength to Metal

A fresh metal surface was exposed by emery paper #800 and the surface was coarsened by an alumina sandblast treatment. A double-coated having a diameter of 4 mm was applied to the metal surface. The liquid component of the adhesive composition was coated on the hole by a small brush, and a mixture of equal amounts of the newly collected liquid component and the powder component was applied to the hole and the metal surface was bonded to the section of a stainless steel rod (which had been subjected to an alumina sandblast treatment in advance). The adhesion strength was measured in the same manner as described in (a) above.

Examples 1 through 9

Adhesive compositions were prepared according to the following recipe, and the adhesion strength to the dentine was measured.

Liquid Component

Vinyl monomer shown in Table 1	(100-x) parts by weight	
Acidic group-containing vinyl monomer shown in Table 1	x parts by weight	5
Ethyl 4-(N,N-dimethylamino)benzoate	1.5 parts by weight	10

Powder Component

Polymethyl methacrylate	24 parts by weight	15
Methyl methacrylate/ethyl methacrylate copolymer	76 parts by weight	20
Silica powder	0.1 part by weight	
Dibenzoyl peroxide	1.5 parts by weight	
Sodium L-ascorbate	3.0 parts by weight	

In Example 9 as a comparative example, the acidic group-containing vinyl monomer was not added in the composition of Example 1 but 20 parts by weight of methyl methacrylate was further added instead.

The data of the adhesion strength obtained in each of the foregoing examples are shown in Table 1.

Incidentally, before the bonding treatment, the dentine surface was contacted with an aqueous solution containing 3% of ferric chloride and 10% of citric acid for 60 seconds and was then washed with water and dried with air.

Table 1

<u>Example No.</u>	<u>Acidic Group-Containing Vinyl Monomer (parts by weight)</u>	<u>Vinyl Monomer (parts by weight)</u>	<u>Adhesion Strength (kg/cm²)</u>
5			
10	1 11-methacryloxy-1,1-undecanedicarboxylic acid (20)	methyl methacrylate (80)	173
15	2 ditto (10)	ditto (90)	147
	3 13-methacryloxy-1,1-tridecanedicarboxylic acid (20)	ditto (80)	142
20			
	4 7-methacryloxy-1,1-heptanedicarboxylic acid (20)	ditto (80)	135
25			
30	5 4-methacryloxy-ethyltrimellitic anhydride (10)	ditto (90)	118
35			
	6 11-methacryloxy-1,1-undecanedicarboxylic acid (20)	bisphenol A diglycidyl methacrylate (40), 2-hydroxyethylmethacrylate (16), triethylene glycol dimethacrylate (24)	141
40			
45			
50	7 ditto (5)	methyl methacrylate (95)	129
	8 ditto (2.5)	ditto (97.5)	110
55	9 --	ditto (100)	14

Examples 10 through 18

Adhesion compositions were prepared in the same manner as described in Example 1 except that the kinds and amounts of the tertiary amine and organic peroxide were charged as shown in Table 2, and the adhesion strength to the dentine was measured. The obtained results are shown in Table 2.

Table 2

<u>Example No.</u>	<u>Organic Peroxide (parts by weight)</u>	<u>Tertiary Amine (parts by weight)</u>	<u>Adhesion Strength (kg/cm²)</u>	
10	dibenzoyl peroxide (1.5)	ethyl 4-(N,N-di- methyl- amino)ben- zoate (1.5)	173	5
11	diacyl peroxide (0.8)	ditto (1.5)	157	10
12	dilauroyl peroxide (1.5)	ditto (1.5)	149	15
13	dibenzoyl peroxide (1.5)	ditto (0.5)	153	20
14	ditto (1.5)	isoamyl 4-(N,N-di- methyl- amino)ben- zoate (1.5)	162	25
15	ditto (1.5)	4-(N,N-di- ethyl- amino)- benzalde- hyde (1.5)	110	30
16	ditto (1.5)	N,N-di- methyl- p-toluidine (1.5)	122	35
17	ditto (1.0)	ditto (1.5)	154	
18	ditto (0.5)	ditto (1.5)	132	
19	ditto (1.5)	N,N- di(β -hy- droxy- ethyl)-p-to- luidine (1.5)	117	40
20	ditto (1.5)	N,N-di- methyl- m-anisidine (1.5)	105	45

Examples 21 through 25 and Comparative Examples 1 through 4

Adhesive compositions were prepared in the same manner as described in Example 1 except that a compound shown in Table 3 was used in an amount shown in Table 3 instead of sodium L-ascorbate, and the adhesion strength to the dentine was measured. The obtained results are shown in Table 3.

For comparison, the ascorbic acid or its derivative was not added, or other organic acid or organic acid salt was added instead of the ascorbic acid or its salt. Also the measurement results obtained in these comparative examples are shown in Table 3.

Table 3

<u>Example No.</u>	<u>Ascorbic Acid or Its Derivative</u>	<u>Amount Added (parts by weight)</u>	<u>Adhesion Strength (kg/cm²)</u>
5			
	21 L-ascorbic acid	2	123
10	22 D-iso-ascorbic acid	1	124
	23 dehydroascorbic acid	3	151
15	24 sodium D-ascorbate	1	186
	25 stearyl L-ascorbate	3	112
20			
	<u>Com- parative Example No.</u>		
25	1 DL-malic acid	3	25
	2 potassium benzoate	3	42
30	3 sodium p-toluene-sulfinate	3	61
	4 not added	-	40
35			

Examples 26 through 37

Adhesion compositions were prepared according to the following recipe, and after the preliminary treatment was carried out in the same manner as described in Example 1, the adhesion strength was measured. The obtained results are shown in Table 4.

Liquid Component

Methyl methacrylate	amount shown in Table 4
Acidic group-containing vinyl monomer shown in Table 4	amount shown in Table 4
Acidic group-containing vinyl monomer shown in Table 4	amount shown in Table 4
Organic peroxide shown in Table 4	amount shown in Table 4

Powder Component

Polymethylmethacrylate	24 parts by weight
Methyl methacrylate/ethyl methacrylate copolymer	76 parts by weight
silica powder	0.1 part by weight
Ascorbic acid or its derivative	amount shown in Table 4

Table 4

<u>Example No.</u>	<u>Acidic Group-Containing Vinyl Monomer (parts by weight)</u>	<u>Vinyl Monomer (parts by weight)</u>	<u>Organic Peroxide (parts by weight)</u>	<u>Ascorbic Acid or Derivative (parts by weight)</u>	<u>Adhesion Strength (kg/cm²)</u>
26	11-methacryloxy-1,1-undecanedicarboxylic acid (20)	methyl methacrylate (80)	dibenzoyl peroxide (1.5)	sodium L-ascorbate (3.0)	122
27	ditto (10)	ditto (90)	ditto (1.5)	ditto (3.0)	108
28	13-methacryloxy-1,1-tridecanedicarboxylic acid (20)	ditto (80)	ditto (1.5)	ditto (3.0)	96
29	7-methacryloxy-1,1-heptanedicarboxylic acid (20)	ditto (80)	ditto (1.5)	ditto (3.0)	93
30	4-methacryloxyethyltrimellitic acid (10)	ditto (90)	ditto (1.5)	ditto (3.0)	90
31	11-methacryloxy-1,1-undecanedicarboxylic acid (20)	ditto (80)	dilauroyl peroxide (1.0)	ditto (3.0)	118
32	ditto (20)	ditto (80)	diacetyl peroxide (1.5)	ditto (3.0)	115
33	ditto (20)	ditto (80)	dibenzoyl peroxide (1.5)	L-ascorbic acid (3.0)	93
34	ditto (20)	ditto (80)	ditto (1.5)	D-Iso-ascorbic acid (2.0)	90
35	ditto (20)	ditto (80)	ditto (1.5)	dihydroascorbic acid (3.0)	105
36	ditto (20)	ditto (80)	ditto (1.5)	sodium D-Iso-ascorbate (2.0)	127
37	ditto (20)	ditto (80)	ditto (1.5)	stearyl L-ascorbate (3.0)	95

Examples 38 through 48

Adhesive compositions were prepared according to the following recipe, and the preliminary treatment was carried out in the same manner as described in Example 1 and the adhesion strength to the dentine was measured. The obtained results are shown in Table 5.

Liquid Component

Methyl methacrylate amount shown in
Table 5

Acidic
group-containing vinyl
monomer shown in
Table 5 amount shown in
Table 5

Tertiary amine shown in
Table 5 amount shown in
Table 5

Powder Component

Polymethyl
methacrylate 24 parts by weight

Methyl
methacrylate/ethyl
methacrylate
copolymer 76 parts by weight

Silica powder 0.1 part by weight

Ascorbic acid or its
derivative amount shown in
Table 5

5

10

15

20

25

30

35

40

45

50

55

60

65

Table 5

<u>Example No.</u>	<u>Acidic Group-Containing Vinyl Monomer (parts by weight)</u>	<u>Vinyl Monomer (parts by weight)</u>	<u>Tertiary Amine (parts by weight)</u>	<u>Ascorbic Acid or Its Derivative (parts by weight)</u>	<u>Adhesion Strength (kg/cm²)</u>
38	11-methacryloxy-1,1'-undecanedicarboxylic acid (20)	methyl methacrylate (80)	ethyl 4-(N,N-dimethyl-amino)-benzoate (1.5)	sodium L-ascorbate (3.0)	108
39	ditto (10)	ditto (90)	ditto (1.5)	ditto (3.0)	93
40	13-methacryloxy-1,1'-tridecanedicarboxylic acid (20)	ditto (80)	ditto (1.5)	ditto (3.0)	91
41	7-methacryloxy-1,1'-heptanedicarboxylic acid (20)	ditto (80)	ditto (1.5)	ditto (3.0)	87
42	4-methacryloxyethyltrimellitic acid (10)	ditto (80)	ditto (1.5)	ditto (3.0)	85
43	11-methacryloxy-1,1'-undecanedicarboxylic acid (20)	ditto (80)	isoamyl 4-(N,N-dimethyl-amino)-benzoate (1.0)	ditto (3.0)	106
44	ditto (20)	ditto (80)	ethyl 4-(N,N-dimethyl-amino)-benzoate (1.0)	L-ascorbic acid (3.0)	103
45	ditto (20)	ditto (80)	ditto (1.5)	D-iso-ascorbic acid (2.0)	101
46	ditto (20)	ditto (80)	ditto (1.5)	dehydroascorbic acid (3.0)	110
47	ditto (20)	ditto (80)	ditto (1.5)	sodium D-iso-ascorbate (2.0)	108
48	ditto (20)	ditto (80)	ditto (1.5)	stearyl L-ascorbate (3.0)	93

Examples 49 through 55

The adhesion strength to the dentine of the adhesion composition of Example 1 was measured in the same manner as described in Example 1 except that a pretreatment agent shown in Table 6 was used instead of the aqueous solution containing 3% of ferric chloride and 10% of citric acid, used in Example 1. The obtained results are shown in Table 6.

<u>Example No.</u>	<u>Pretreatment Agent</u>	<u>Adhesion Strength (kg/cm²)</u>
49	aqueous solution containing 10% of phosphoric acid	108
50	aqueous solution containing 3% of ferric chloride and 10% of phosphoric acid	187
51	aqueous solution containing 10% of ferric citrate	153
52	aqueous solution containing 3% of ferric sulfate and 10% of citric acid	130
53	aqueous solution containing 3% of zinc chloride and 10% of citric acid	192
54	aqueous solution containing 3% of manganese chloride and 10% of citric acid	90
55	aqueous solution containing 3% of calcium chloride and 10% citric acid	109

Examples 56 and 57 Comparative Examples 5 through 8

Adhesive compositions shown in Table 7 were prepared and the adhesion strengths to sandblasted metal surfaces were measured. The obtained results are shown in Table 7.

Table 7

		<u>Adhesion Composition</u>		<u>Adherend Methyl</u>	<u>Adhesion Strength</u> (kg/cm ²)
		<u>Liquid Component</u> (parts by weight)	<u>Powder Component (parts by weight)</u>		
5	Example 56	11-methacryloxy-1,1-undecanedicarboxylic acid (5), methyl methacrylate (95), N,N-dimethyl-p-toluidine (1.5)	polymethyl methacrylate (24), methyl methacrylate/ethyl methacrylate copolymer (76), silica powder (1.0), dibenzoyl peroxide (1.0), L-ascorbic acid (3.0)	nickel-chromium alloy	350
10					
15	Example 57	ditto	ditto	cobalt-chromium alloy	390
20	Comparative Example 5	methyl methacrylate (100), N,N-dimethyl-p-toluidine (1.5)	ditto	nickel-chromium alloy	160
25	Comparative Example 6	ditto	ditto	cobalt-chromium alloy	152
30	Comparative Example 7	11-methacryloxy-1,1-undecanedicarboxylic acid (5), methyl methacrylate (95), N,N-dimethyl-p-toluidine (1.5)	polymethyl methacrylate (24), methyl methacrylate/ethyl methacrylate copolymer (76), silica powder (0.1), dibenzoyl peroxide (1.0), sodium p-toluenesulfinate (3.0)	nickel-chromium alloy	145
35					
40	Comparative Example 8	ditto	ditto	cobalt-chromium alloy	104

Examples 58 through 62

Adhesive composition were prepared according to the following recipe, and the adhesion strength to the dentine was prepared in the same manner as described in Example 1. The obtained results are shown in Table 8.

Liquid Component

50	11-Methacryloxy-1,1-undecanedicarboxylic acid	10 parts by weight
	Methyl methacrylate	90 parts by weight
	N,N-Dimethyl-p-toluidine	1.5 parts by weight

Powder Component

55	Organic filler shown in Table 8	(100-x) parts by weight
60	Inorganic filler shown in Table 8	x parts by weight
	Dibenzoyl peroxide	1.5 parts by weight
	L-Ascorbic acid	3.0 parts by weight

65

Table 8

<u>Example No.</u>	<u>Organic Filler (parts by weight)</u>	<u>Inorganic Filler (parts by weight)</u>	<u>Adhesion Strength (kg/cm²)</u>
58	methyl methacry- late/ethyl methacry- late copolymer (70)	silica-zir- conia (30)	128
59	ditto (50)	ditto (50)	109
60	ditto (70)	quartz (30)	123
61	methyl methacry- late (90)	hydroxya- patite (10)	110
62	ditto (80)	silica-tita- nia (20)	105

Example 63 and Comparative Example 9

The dentine of a bovine tooth as described in Example 1 was exposed, and a paraffin wax having a hole having a diameter of 4 mm was fixed to the exposed surface by using a double-coated tape to form an imitation cavity having the exposed surface as the bottom surface.

A mixture of equal amounts of components A and B of an adhesive composition shown in Table 9 was coated on said bottom surface, and a commercially available photocurable composite resin (Palfique lite supplied by Tokuyama Soda) was inserted in the imitation cavity. Then, the composite resin was irradiated for 30 seconds by using a commercially available visible ray irradiator (White Light supplied by Takara Belmont) to cure the composite resin.

After curing of the composite resin, the paraffin wax was removed, and the bovine tooth/cured composite resin bonded structure was immersed in water at 37° C for 24 hours. A metal attachment was set to each of the cured composite resin and the bovine tooth, and the adhesion strength was measured by a tensile tester (cross-head speed = 10 mm/min).

Incidentally, instead of the polymethyl methacrylate filler used in Example 63, the same amount of methyl methacrylate monomer was used.

The obtained results are shown in Table 9.

Table 9

		<u>Compo- nent A</u> <u>(parts by</u> <u>weight)</u>	<u>Compo- nent B</u> <u>(parts by</u> <u>weight)</u>	<u>Adhesion</u> <u>Strength</u> <u>(kg/cm²)</u>
5	Example 63	11-meth- acryloxy- 1, 10 1-undeca- nedicar- boxylic acid (20), 15 methyl methacry- late (80), N,N-di- methyl- p-toluidine (1.5)	poly- methyl- methacry- late (100), silica powder (0.1), dibenzoyl peroxide (1.5), L-ascorbic acid (3.0)	110
20	Com- parative Example 9	ditto	methyl methacry- late (100), dibenzoyl peroxide (1.5), L-ascorbic acid (3.0)	30
25				
30				

Examples 64 through 69 and Comparative Example 10

Adhesion composition were prepared according to the following recipe, and after the preliminary treatment was carried out in the same manner as described in Example 1, the adhesion strength was measured. The
 35 obtained results are shown in Table 10.

Liquid Component

	<u>parts by weight</u>
40 Vinyl monomer shown in Table 10	(100-x)
Acidic group-containing vinyl monomer shown in 45 Table 10	x
camphorquinone	0.4

Powder Component

50 Polymethyl methacrylate	24
Methyl methacrylate/ethyl methacrylate 55 copolymer	76
Silica powder	0.1
Dibenzoyl peroxide	1.5
Sodium L-ascorbate	3.0

60

65

Table 10

Example No.	Acidic Group-Containing Vinyl Monomer (parts by weight)	Vinyl Monomer (parts by weight)	Adhesion Strength (kg/cm ²)	
64	11-methacryloxy-1,1-undecanedicarboxylic acid (20)	methyl methacrylate (80)	108	5
65	ditto (10)	ditto (90)	98	10
66	13-methacryloxy-1,1-tridecanedicarboxylic acid (20)	ditto (80)	104	15
67	7-methacryloxy-1,1-heptanedicarboxylic acid (20)	ditto (80)	102	20
68	4-methacryloxyethyltrimellitic acid anhydride (10)	ditto (90)	101	25
69	11-methacryloxy-1,1-undecanedicarboxylic acid (20)	bisphenol A diglycidyl methacrylate (40)		30
		2-hydroxyethyl methacrylate (16)	106	35
		triethylene glycol dimethacrylate (24)		40
Comparative Example 10		methyl methacrylate (100)	14	45

Examples 70 through 76 and Comparative Examples 11 through 14

Adhesion compositions were prepared in the same manner as described in Example 1 except that the kinds and amounts of α -diketone and ascorbic acid or its derivative were changed as shown in Table 11, and the adhesion strength to the dentine was measured. The obtained results are shown in Table 11.

Table 11

Example No.	α -di-ketone (parts by weight)	Ascorbic acid or its derivative (parts by weight)	Adhesion Strength (kg/cm ²)
70	benzil (1.0)	sodium L-ascorbate (3.0)	100
71	diacetyl (0.5)	ditto (3.0)	98
72	camphor-quinone (0.4)	L-ascorbic acid (3.0)	92
73	ditto	D-iso-ascorbic acid (1.0)	90
74	ditto	dehydroascorbic acid (3.0)	90
75	ditto	sodium D-iso-ascorbate (1.0)	109
76	ditto	stearyl L-ascorbate (3.0)	93
Com-parative Example 11	ditto	DL-malic acid (3.0)	24
12	ditto	potassium benzoate (3.0)	38
13	ditto	sodium p-toluene-sulfinate (3.0)	27
14	ditto	not aded (-)	20

Example 77 and Comparative Example 15


A mixture of equal amounts of components A and B of an adhesive compositions shown in Table 12 were prepared, and after the preliminary treatment was carried out in the same manner as described in Example 63, the adhesion strength was measured. The obtained results are shown in Table 12.

Table 12

	Compo- nent A (parts by weight)	Compo- nent B (parts by weight)	Adhesion Strength (kg/cm ²)	
Example 77	11-meth- acryloxy- undeca- nedicar- boxylic acid (20)	poly- methyl methacry- late (100)	120	5
	methyl methacry- late (80)	silica powder (0.1)		10
	camphor- quinone (0.4)	dibenzoyl peroxide L-ascorbic acid (3.0)		15
Com- parative Example 15	ditto	methyl methacry- late (100)	41	20
		dibenzoyl peroxide (1.5) L-ascorbic acid (3.0)		25
				30


Claims

1. An adhesive composition comprising (a) 100 parts by weight of a monomer mixture comprising a vinyl monomer having an acidic group in the molecule and a vinyl monomer copolymerizable with said vinyl monomer, (b) 10 to 500 parts by weight of a filler, (c) 0.01 to 10 parts by weight of a polymerization initiator and (d) 0.01 to 10 parts by weight of ascorbic acid or a derivative thereof.
2. An adhesive composition as set forth in claim 1, wherein the acidic group is a carboxyl group.
3. An adhesive composition as set forth in claim 1 or 2 wherein the content of the vinyl monomer having an acidic group in the monomer mixture is 1 to 90% by weight.
4. An adhesive composition as set forth in any one of the preceding claims wherein the copolymerizable vinyl monomer is an acrylic acid ester or a methacrylic acid ester.
5. An adhesive composition as set forth in any one of the preceding claims wherein the filler is a homopolymer or copolymer of an acrylic acid ester or a methacrylic acid ester.
6. An adhesive composition as set forth in any one of the preceding claims wherein the polymerization initiator is at least one member selected from the group consisting of organic peroxides and tertiary amines.
7. An adhesive composition as set forth in claim 6 wherein the organic peroxide is a diacyl peroxide.
8. An adhesive composition as set forth in any one of the preceding claims wherein the vinyl monomer having an acidic group is a monomer represented by the following formula:




wherein R₁ stands for a hydrogen atom or a methyl group, and n is a number of from 4 to 12.

9. An adhesive composition as set forth in any one of claims 1 to 7 wherein the vinyl monomer having an acidic group is a monomer represented by the following formula:



wherein R_2 stands for a hydrogen atom or a methyl group, m is a number of from 2 to 4, and X stands for



10. An adhesive resin composition as set forth in any one of the preceding claims, which is of a two-pack system wherein (i) a liquid component comprising the vinyl monomer having an acidic group in the molecule or the monomer mixture of said acidic group-containing vinyl monomer and the vinyl monomer copolymerizable therewith and (ii) a powder component comprising ascorbic acid or its derivative and the filler are filled in different packs, and at the time of curing, appropriate amounts of the liquid and powder components are taken out from the packs and are mixed.

(12)

EUROPEAN PATENT APPLICATION

(21) Application number: 89303023.9

(51) Int. Cl.⁵: A61K 6/00 ; C09J 3/14

(22) Date of filing: 28.03.89

(30) Priority: 28.03.88 JP 72050/88
06.05.88 JP 109156/88

(43) Date of publication of application:
04.10.89 Bulletin 89/40

(54) Designated Contracting States:
DE FR GB

(88) Date of deferred publication of the search report:
18.04.90 Bulletin 90/16

(71) Applicant: TOKUYAMA SODA KABUSHIKI
KAISHA
1-1 Mikage-cho
Tokuyama-shi Yamaguchi-ken(JP)

(72) Inventor: Kawaguchi, Toshio
2-22-2234 Seibu-danchi, 3910, Ohba
Fujisawa-shi Kanagawa-ken(JP)
Inventor: Shibuya, Shigeri
3170-3, Kobuchi
Sagamihara-shi Kanagawa-ken(JP)
Inventor: Kusumoto, Koshi
8-6 Kajiwara 2-chome
Kamakura-shi Kanagawa-ken(JP)

(74) Representative: Cresswell, Thomas Anthony
et al
J.A. Kemp & Co. 14 South Square Gray's Inn
London WC1R 5EU(GB)

(54) Adhesive composition.

(57) Disclosed is an adhesive composition comprising (a) 100 parts by weight of a monomer mixture comprising a vinyl monomer having an acidic group in the molecule and a vinyl monomer copolymerizable with said vinyl monomer, (b) 10 to 500 parts by weight of a filler, (c) 0.01 to 10 parts by weight of a polymerization initiator and (d) 0.01 to 10 parts by weight of ascorbic acid or a derivative thereof.

This adhesive composition has a high bonding force and an excellent durability even in a severe environment, for example, in the environment in the oral cavity. Accordingly, this adhesive composition is especially valuable used as a dental adhesive.

EP 0 335 645 A3



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number

EP 89 30 3023

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl.4)
A,D	WPI, FILE SUPPLIER, DERWENT Publications Ltd., London, GB; AN=77-00951y & JP-A-51 132 687 (SANKIN) * Whole Abstract *	1-10	A 61 K 6/00 C 09 J 3/14
A	GB-A-2 175 595 (G.C SHIKA KOGYO K.K.)		
A	DE-A-3 613 947 (COMMONWEALTH SCIENTIFIC and INDUSTRIAL RESEARCH ORGANIZATION, CAMPBELL, AU) * claims 1,5-6 *		
A	EP-A-0 008 131 (UNION CARBIDE) * Claims *		
			TECHNICAL FIELDS SEARCHED (Int. Cl.4)
			A 61 K C 09 J C 08 F
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 15-01-1990	Examiner COUSINS-VAN STEEN G.I.L.
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			